




ITEM	QTY -041	P/N	DESCRIPTION
	X	D4766-041	SKIDTUBE
1	1	D4766-043	SKIDTUBE SUB ASSY
2	1	D2965	CAP
3	1	D2965-3	CAP
4	4	D3492-055	PLUG ASSY
5	2	AN3C5A	BOLT
6	2	AN526C1032-10	SCREW
7	2	AN960-10L	WASHER




DETAIL A B6-1
SCALE 4X



DETAIL B B1-1
SCALE 4X



D4766-041 SKIDTUBE




SECTION C-C B1-1
5 PL
SCALE 8X


- NOTES:
- 1) MATERIAL: N/A
 - 2) FINISH: PAINT TOP SURFACE OF SKIDTUBE WITH MIL-W-5044 ANTI-SKID PAINT (WING WALK) AS INDICATED TO 1.00 ABOVE CENTERLINE PER DART QSI 005 4.4.
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4766-041" AND B/N PER QSI 044 METHOD 6.4 ON INNER RADIUS OF SKIDTUBE BEFORE INSTALLING D2965 CAP
 - 7) WEIGHT: 31.81 lbs
 - 8) SEAL MATING SURFACES WITH SIKAFLEX -241/-291 OR PROSEAL 890 OR MIL-S-8802 CLASS B2 SEALANT.

PB2	REPLACED D2965 AFT CAP WITH D2965-3. D3492-055 WAS D3492-051. SWAGING NOW 0.650 WAS 0.661.	AP	13.08.08
A	NEW ISSUE	AP	13.02.13
REV.	DESCRIPTION	BY	DATE
DESIGN	AP	DART AEROSPACE USA, INC. KENT, WA	
DRAWN	AP		
CHECKED		DRAWING NO.	REV. PB2
MFG. APPR.		D4766	SHEET 1 OF 5
APPROVED		TITLE	SCALE
DE APPR.		SKIDTUBE	NTS
DATE	13.08.08	COPYRIGHT © 2013 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	


ITEM	QTY -043	P/N	DESCRIPTION
	X	D4766-043	SKIDTUBE SUB ASSY
1	14	D4686-1	SPACER
2	28	D4753-1	DOUBLER
3	1	D4766-045	SKIDTUBE SUB ASSY
4	3	AELS-1032-130	INSERT
5	3	AN3C4A	BOLT
6	3	AN960-10L	WASHER
7	56	MS20601AD4W3	RIVET




DETAIL F B4-2
28 PL
SCALE 6X



SECTION E-E B1-2
SCALE 6X





SECTION G-G B5-2
SCALE 6X



SECTION D-D B3-2
SCALE 6X

INSTALL D4686-1 SPACER AFTER INSTALLING D4753-1 DOUBLER AS FOLLOWS (14 PL)

1. INSERT D4686-1 SPACER
2. SWAGE TO $\varnothing 0.650 +0.010/-0.000$ X 1.0 DEEP PER QSI 002 
3. TRIM/GRIND FLUSH PER QSI 002




D4766-043 SKIDTUBE SUB ASSY


- NOTES:
- 1) MATERIAL: N/A
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
APPLY SHERWIN WILLIAMS PRIMER (CM0483928) PER DART QSI 005 4.2
PAINT TWO COATS OF SHERWIN WILLIAMS (CM0143603GA) GLOSS WHITE PER DART QSI 005 4.2
APPLY TWO COATS OF SHERWIN WILLIAMS CLEAR COAT (CM0571080) PER DART QSI 005 4.2
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: 31.15 lbs
 - 8) SEAL ALL FAYING SURFACES USING PROSEAL 890 B-2 (PRC)

DESIGN	AP	DART AEROSPACE USA, INC. KENT, WA	
DRAWN	AP		
CHECKED		DRAWING NO. D4766	REV. PB2 SHEET 2 OF 5
MFG. APPR.		TITLE SKIDTUBE	
APPROVED			
DE APPR.		SCALE NTS	
DATE	13.08.08	COPYRIGHT © 2013 BY DART AEROSPACE USA, INC. <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	


ITEM	QTY -045	P/N	DESCRIPTION
	X	D4766-045	SKIDTUBE SUB ASSY
1	1	D4766-1	SKIDTUBE
2	1	D4768-1	WEB




DETAIL H B8-3
SCALE 6X



DETAIL J B1-3
SCALE 6X




DETAIL I B3-3
28 PL (BOTH SIDES)
SCALE 6X




D4766-045 SKIDTUBE SUB ASSY
(DRILLING DETAIL)

NOTES:
1) MATERIAL:N/A
2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: NONE
7) WEIGHT: 30.14 lbs

DESIGN	AP	DART AEROSPACE USA, INC. KENT, WA	
DRAWN	AP		
CHECKED		DRAWING NO.	REV. PB2
MFG. APPR.		D4766	SHEET 3 OF 5
APPROVED		TITLE	SCALE
DE APPR.		SKIDTUBE	NTS
DATE	13.08.08	COPYRIGHT © 2013 BY DART AEROSPACE USA, INC. <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	





NOTES:
1) MATERIAL: MAKE FROM D2962-185 EXTRUSION
2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: NONE
7) WEIGHT: 18.97 lbs

DESIGN	AP	DART AEROSPACE USA, INC. KENT, WA	
DRAWN	AP		
CHECKED		DRAWING NO.	REV. PB2
MFG. APPR.		D4766	SHEET 5 OF 5
APPROVED		TITLE	SCALE
DE APPR.		SKIDTUBE	NTS
DATE	13.08.08	COPYRIGHT © 2013 BY DART AEROSPACE USA, INC. <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	